



This is a digital copy of a book that was preserved for generations on library shelves before it was carefully scanned by Google as part of a project to make the world's books discoverable online.

It has survived long enough for the copyright to expire and the book to enter the public domain. A public domain book is one that was never subject to copyright or whose legal copyright term has expired. Whether a book is in the public domain may vary country to country. Public domain books are our gateways to the past, representing a wealth of history, culture and knowledge that's often difficult to discover.

Marks, notations and other marginalia present in the original volume will appear in this file - a reminder of this book's long journey from the publisher to a library and finally to you.

Usage guidelines

Google is proud to partner with libraries to digitize public domain materials and make them widely accessible. Public domain books belong to the public and we are merely their custodians. Nevertheless, this work is expensive, so in order to keep providing this resource, we have taken steps to prevent abuse by commercial parties, including placing technical restrictions on automated querying.

We also ask that you:

- + *Make non-commercial use of the files* We designed Google Book Search for use by individuals, and we request that you use these files for personal, non-commercial purposes.
- + *Refrain from automated querying* Do not send automated queries of any sort to Google's system: If you are conducting research on machine translation, optical character recognition or other areas where access to a large amount of text is helpful, please contact us. We encourage the use of public domain materials for these purposes and may be able to help.
- + *Maintain attribution* The Google "watermark" you see on each file is essential for informing people about this project and helping them find additional materials through Google Book Search. Please do not remove it.
- + *Keep it legal* Whatever your use, remember that you are responsible for ensuring that what you are doing is legal. Do not assume that just because we believe a book is in the public domain for users in the United States, that the work is also in the public domain for users in other countries. Whether a book is still in copyright varies from country to country, and we can't offer guidance on whether any specific use of any specific book is allowed. Please do not assume that a book's appearance in Google Book Search means it can be used in any manner anywhere in the world. Copyright infringement liability can be quite severe.

About Google Book Search

Google's mission is to organize the world's information and to make it universally accessible and useful. Google Book Search helps readers discover the world's books while helping authors and publishers reach new audiences. You can search through the full text of this book on the web at <http://books.google.com/>

Scien
G

ILLUSTRATIONS OF BRITISH FUNGI (HYMENOMYCETES),

To serve as an Atlas to the Handbook of "British Fungi."

M. C. Cooke
BY
M. C. COOKE, M.A., LL.D., A.L.S.,

Late President of the Quekett Microscopical Club. President of the Hackney Natural History and Microscopical Society. Fellow of the Botanical Society of Edinburgh. Corresponding Member of the Academy of Natural Sciences, Philadelphia; of the Academy of Science of New York; of the Portland Society of Natural History, Maine, and of the Società Crittogramologica Italiana. Honorary Member of the Cryptogamic Society of Scotland; the Woolhope Field Club; the Hertfordshire Natural History Society; the Norfolk and Norwich Naturalists' Society; the Essex Field Club; and other Societies.

VOL. VI.




London:

WILLIAMS AND NORGATE, HENRIETTA STREET, W.C.

1886-1888.

111





CORTINARIUS (DERMOCYBE) OCHROLEUCUS. *ETIUS.*
on the ground. *Epping Forest.*

178783



U of M

MnO₂

CORTINARIUS (DERMOOFSE) DIABOLICUS. *Fries.*
under beech trees. Dorking. Nov. 1880



W no U

CORTINARIUS (DERMOCYBE) TABULARIS. Bull.
in mixed woods. near Carlisle. 1886.

THANK YOU

UoRM

May U

CORTINARIUS (DERMOCYBE) CAMURUS. *Fries.*
on ground in Epping Forest, Chingford. *Nov. 1882.*

M70U

1981

3000

CORTINARIUS (DERMOCYBE) CANINUS. *Fries.*
on the ground. Tunnel Woods, Watford. 1889.

MvolU

26769

PI. 617

CORTINARIUS (DERMOOYE) MYRTILLINUS. Price.
under beech trees. Christchurch, Hants.

Mnou




1000

CORTINARIUS (INOLOMA) AZUREUS. *Fries.*
Amongst leaves. Alresford, Hants.

THANK YOU

U of M



CORTINARIUS (DERMOCYBE) ALBO-CYANEUS. Fries.
under trees. Pontres. Sept. 1885.

31700


U or M

BY YOU

CORTINARIUS (DERMOCYBE) ANOMALUS. Fries.
on the ground in woods. Lyndhurst, Haywood Forest, &c.

3700

U of Ia



CORTINARIUS (DERMOCYBE) LEPIDOPUS. Cooke.
in healthy places; Epping Forest, and near Carlisle. Sept. 1887.

Myself

100%
W

11.10.11

CORTINARIUS (DERMOCYBE) CINNABARINUS. Fries.
in beech woods. near Hereford.

Mr. You

1107 M

1000

CORTINARIUS (DERMOCYBE) SANGUINEUS. *Fries.*
on the ground in Epping Forest. Nov. 1882.

to you

100

30 100

CORTINARIUS (DERMOCYBE) ORELLANUS. Fr.
in woods. Coed Coch.

M 90.0

CORTINARIUS (DERMOCYBE) CINNAMOMEUS. Frise.
on the ground in woods. Dinnmore.

to you

At 10:00




M.C.C.

CORTINARIUS (DERMOCYBE) CINNAMOMEUS. Fries. variety.
on the ground. near Carlisle. 1886.

MonU


Worm



CORTINARIUS (DERMOCYBE) CINNAMOMEUS. *Fries.*
var. β . SEMI-SANGUINEUS. *Fries.*
on the ground. *Lyme Regis.* Oct. 1863.

2010.0


John M



CORTINARIUS (DERMOOYSE) CROCEO-CONUS. Frus.
in pine woods. Wychiffe wood.

34700

1107.20



CORTINARIUS (DERMOCYBE) ULLIGINOSUS. Berk.
in boggy woods. King's Cliff.

Angell


2010.11

CORTINARIUS (DERMOCYBE) INFUCATUS. *Fries.*
on the ground in woods. *Haywood Forest.* *Sept. 1888.*

200

U of M

20 201




Boudier

CORTINARIUS (DERMOCYBE) COTONEUS. Fries

under oaks, or in mixed woods.

THAN YOU



• 1000

2673

CORTINARIUS (DERMOCYBE) SUBNOTATUS. Pers.
amongst fir leaves. Alresford, Hants. Nov. 1896.

100

Mnelli

CORTINARIUS (DEBNOCYBE) VALGUS. Fries. (var.)
in woods near Bristol. Oct. 1886.

300





CORTINARIUS (DERMOCYBE) VENETUS. Fries.
under beech trees. Aboyne.

U or M

Missouri

CORTINARIUS (TELAMONIA) MACROPUS. *Fries.*
on the ground. near Bristol. 1884.

Minou

U.S.A.



A

CORTINARIUS (TELAMONIA) LANIGER Price.
under tree. Sandy Lane. Bristol. Sept. 1885.

1107

1100

20789

CORTINARIUS (TELAMONIA) BIVELUS. Fries.
in woods. Dinedor. Oct. 1881.

Monte



Minou

20790

PL. 834

CORTINARIUS (TELAMONIA) BULBOSUS. Bow.
in woods. Wyoliffe Wood. Oct. 1883.


U or M

1100

41

CORTINARIUS (TELAMONIA) URBICUS. *Pries.*
amongst grass. Cebalva. Oct. 1879.

100



192

CORTINARIUS (TELAMONIA) LICINIPES. *Fries.* var. ROBUSTIOR.
in damp woods. Blaize Castle. Oct. 1894.





No 793

PL. 865.

CORTINARIUS (TELAMONIA) MICROCYCLUS. Fries.
under tree. Broadbush. Oct. 1887.

Mnol

Worm

1000

No 794

CORTINARIUS (TELAMONIA) TORVUS. *Fries.*
on the ground in woods. *Wycliffe Wood, Oct. 1882.*

1107 M

MoU

CORTINARIUS (TELANOMIA) IMPENNIS. *Pries.*
under fir trees. *Dinedor.* *Oct. 1861.*

MyoU



At 7:00 (1)

13

CORTINARIUS (TELAMONIA) QUADRICOLOR. Fries.
under beech. Blaise Castle, Bristol. Oct. 1882.

3300



36 (10)

CORTINARIUS (TELAMONIA) EVERNIUS. *Fries.*
in damp woods. Blaize Castle, and Wyckliffe Wood.

Myou

1378



CORTINARIUS (TELAMONIA) EVERNIUS. *Fries. (Type).*
in damp places. *Epping Forest, 1885.*

33700





CORTINARIUS (TELAMONIA) QUADRICOLOR. Fries.
amongst grass. near Broadbowne. Oct. 1887.

38780

100

M 9011

CORTINARIUS (ELAMORIA) ARMIOLINUS. - 2700.
in mixed woods. Wycliffe Wood, Ludlow.

MANOLI

1000

21000

CORTINARIUS (TELANOMIA) HÆMATOCHELIS. *Bull.*
in woods. Coed Coch, Abergav.



100%

18 2000

CORTINARIUS (TELAMONIA) HELVOLUS. Bull.
in woods. Durham Downs. Oct. 1883.

Mnoli

Log N

100

CORTINARIUS (TELAMONIA) HINNULEUS. *Fries.*
on the ground, in woods. *Dinedor.* *Oct. 1881.*

110

May 11

CORTINARIUS (TELANONIA) GENTILIS. Fries.
on the ground. Haywood Forest, and Rothiemurchus.

1970 U



W. 2000

CORTINARIUS (TELAMONIA) HELVELLOIDES. Price.
amongst beach leaves. Christchurch.

UoR M



CORTINARIUS (TELAMONIA) RUBELLUS. Cooke.
in swamps. Moss, near Carlisle, 1886.

1100

May 10

CORTINARIUS (TELAMONIA) BOVINUS. *Fries.*
on ground, in woods. *Haywood Forest.* Sept 1883.

Mnoli

110711

MoU

1-4
CORTINARIUS (TELAMONIA) NITROSUS. Cooke.
on the ground. Durdham Down, Bristol.


100% 2

1100

CORTINARIUS (TELAMONIA) INJUCUNDUS. *Weinm.*
under trees. Swarrotton, Hants. Nov. 1886.

Мэо У

1000



CORTINARIUS (TELAMONIA) BRUNNEUS. Fries.
under trees. Haywood Forest, 1882.

to you

1100 18

W. H. G.

1000

1100

CORTINARIUS (TELAMONIA) GLANDICOLOR. Fries.
amongst moss. Fordingbridge. 1883.



UoR M

300

CORTINARIUS (TELANOMA) PUNCTATUS. *Fries.*
under beech. near *Annot*, 1881.

Maguire

1108

3000

10 8
CORTINARIUS (TELAMONIA) TRIFORMIS var. SCHAEFFERI. Fries.
on the ground. Alresford, Hants. Oct. 1885.

100 M

100

23

CORTINARIUS (TELAMONIA) BIFORMIS. Fries.
in mixed woods. Park End, Forest of Dean. Oct. 1887.

11073

Mnoli

AD 813

CORTINARIUS (TELAMONIA) PERISCELIS. Weiss.
in boggy places. Near Bristol, &c.

103

1000

CORTINARIUS (TELAMONIA) FLABELLUS. Fries.
under beech. Coed Coch.



1000

1000

CORTINARIUS (TELAMONIA) ILEOPODIUS. Bull.
in beech woods. near Bristol.

U or M

300

on naked soil. *Pleasure Grounds, Kew.*

U or M

May 11


CORTINARIUS (ELATINOIDES) ---
amongst moss, &c. Belmont, Hereford, 1886.

1107 33

100

160⁹, (a⁵),
PL. 840.

CORTINARIUS (TELAMONIA) COOKEI. Quellet.
in fir woods. Coast Coch.



1078

2010.11

CORTINARIUS (TELAMONIA) RIGIDUS. Fries.
in damp woods. near Carlisle. 1886.

1100' 1A

31 7000

M

CORTINARIUS (TELANOMA) PALEACEUS *Fries.*
in moist woods. Haywood Forest. Oct. 1884.

1100

Al 7000

2 M

CORTINARIUS (HYDROCYBE) FIRMUS. Fries.
on the ground near Bruxel.

CORTINARIUS (HYDROCYBE) SUBFERRUGINEUS. Frise.
on the ground in woods. Haywood Forest, Sept. 1888.



1107 10

30 2000

CORTINARIUS (HYDROCYBE) ARMENIACUS. Schaff.
in fir woods. Mattishall. Aug. 1888.


U.S. 8

1000

CORTINARIUS (HYDROCYBE) DAMASCENUS. *Juss.*
under trees. *Pontrillas.* Sept. 1885.

M 90.0






CORTINARIUS (HYDROCYBE) PRIVIGNUS. Fries.
under fir trees. Dnamore. 1885.

110730

100000

CORTINARIUS (HYDROCYBE) DURACINUS. Fries.
in woods. Hereford Fungus Show, 1881.



World



2

CORTINARIUS (HYDROCYBE) ILLUMINUS. Fries.
under firs. near Scarborough.

MnO₂

U.S.A.

22 NOV 1968

CORTINARIUS (HYDROCYBE) TORTVOSUS. Pries.
in damp pine wood. Scarborough.



108

MnoU

No 832

PL. 810.

CORTINARIUS (HYDROCYBE) DILUTUS. *Fries.*
on the ground in Epping Forest, Chingford. Nov. 1882.

May 11


1103

W. G. J.

CORTINARIUS (HYDROCYBE) SATURNINUS. *Pries.*
amongst grass. *Dimmora.* 1886.




U or M




CORTINARIUS (HYDROCYBE) IMBUTUS. *Fries.*
in mixed woods. *Forres, N.B.* *Sept. 1857.*



U of M



CORTINARIUS (HYDROCYBE) CASTANEUS. Fries.
under trees. Kew Gardens, and Hereford.



Inform

MINO II

CORTINARIUS (HYDROCYBE) BICOLOR. Cooke.
in mixed woods. Park End, Forest of Dean. Oct. 1887.

100%

147011

CORTINARIUS (HYDROCYBE) BALAUSTINUS. *Fries.*
under beech. Credinhill Camp. Oct. 1882.

U of M

1100

CORTINARIUS (HYDROCYBE) COLUS. *Fries.*
on the ground. *Blaise Castle, and Whitfield.*



UoRM

Finland

no 829

CORTINARIUS (HYDROCYBE) ISABELLINUS. *Fries.*
in pine woods. *Ascol.*



UOR 34

CORTINARIUS (*HYDROCYBE*) RENIDENS. *Fries.*
under trees. Highbeach, Epping. Sept. 1882.

1000 A

Minoli

CORTINARIUS (HYDROCYBE) URACEUS. Fries.
under fir trees, near Hereford.

Worke

W. H. O.


CORTINARIUS (HYDROCYBE) JUBARINUS. Fries.
amongst grass. Lyndhurst, Hants. Oct. 1888.


U.S. GOVERNMENT
PRINTING OFFICE: 1913

1972.

...


CORTINARIUS (HYDROCYBE) PATERIFORMIS. var. MAJOR. Frus.
amongst grass. Neasden, Middlesex. Sept. 1891.





CORTINARIUS (HYDROCYBE) UNIMODUS. *Britzelmeyer.*
in grassy places. Carlisle. Sept. 1887.


1078



CORTINARIUS (HYDROCYBE) DOLABRATUS. Fries.
on the ground amongst firs. Dersham, Norfolk. Nov. 1888.

Moto


U.S.A.



CORTINARIUS (HYDROCYBE) RIGENS. *Friss.*
under firs. Epping Forest. June, 1869.




100%



amongst moss. Scarborough, Yorks.

1073



CORTINARIUS (HYDROCYBE) LEUCOPUS. Bell.
under fir trees. near Kendal.


1000





CORTINARIUS (HYDROCYBE) SCANDENS. Fr. Mon. (nec. Fr. Icon.)
on moist ground. near Downham, Norfolk.

Work



CORTINARIUS (HYDROCYBE) DECIPiens. *Fries.*
on the ground, in woods. *Norfolk.* 1882.

1100




CORTINARIUS (HYDROCYBE) GERMANUS Fries.
under beech. Epping Forest, 1889.

John H.



CORTINARIUS (HYDROCYBE) ACUTUS. *Fries.*
in moist woods. near Bristol, &c.


110734



13

CORTINARIUS (HYDROCYBE) MILVINUS. Fries.
amongst leaves. Neardon, Oct. 1884.

U of M



CORTINARIUS (HYDROCYBE) DEPRESSUS. FRUIT.
in moist woods. Codd Cook, 1888.



U.S. GOVERNMENT PRINTING OFFICE: 1913 7-1250




CORTINARIUS INTULVUS FASCIATUS. —
under fir trees. Haywood Forest. Oct. 1888.

UoM




20X6




GOMPHIDIUS GLUTINOSUS, Fries
under fir trees. Park End, Forest of Dean. Oct. 1887.


11078



GOMPHIDIUS ROSEUS *Fries.*
in woods. *The Wrekin, Salop.*


11073





GOMPHIDIUS VISCIDUS Fries.
under fir trees. Credin Hill Camp. Sept 1842.

UoTM



GOMPHIDIUS MACULATUS. Scop. (Variety).
near fir trees. Dinedor Camp.

U.S.A.

W 1000

GOMPHIDIUS GRACILIS. Berk.
under fir trees. near Scarborough.

100

W 10.0

230

PAXILLUS (LEPISTA) LEPISTA. Bries.
in fir woods. Scarborough.

1108

10000

PAXILLUS (LEPIOTA) ORCULLOIDES. C. & M.
amongst grass. Queen's Cottage, Kew. Nov. 1886.




John W.



PAXILLUS (LEPISTA) EXTENUATUS. *Fries.*
amongst grass. near Hereford. (Dr. Bull.)

U or M



PAXILLUS (LEPISTA) LIVIDUS. Cooke.
in woods. Leigh Down. Oct. 1883.



2170 U

PAXILLUS (LEPISTA) REVOLUTUS. Cooke.
in field, Sandy Lane, near Guildford. Oct. 1883.


1 of 1

Mano U

PAXILLUS (LEPISTA) PARADOXUS. (Kulch.) Berk.
on the ground. Scarborough.

Worm





PL. 676.
PAXILLUS (TAPINIA) INVOLUTUS. Fries.
on the ground. Kew Gardens. Oct. 1882.




100%

PAXILLUS (TAPINIA) LEPTOPUS. Fries.
on stumps. Queen's Cottage, Kew.

10 of 14

1000

UoM



1109 11

W. H. G.


20871


PL. 67B.

• 34

PAXILLUS (TAPINIA) PANUOIDES. Bries.
on woodcut. Coed. Coch.









HYGROPHORUS (LIMACIUM) CHRYSODON. *Fries.*
under tree, Westridge Wood, near Nibley. Nov. 1880.

Worm



HYGROPHORUS (LIMACIUM) EBURNEUS. *Fries.*
in mixed woods. Epping Forest.

110V




HYGROPHORUS (LUMACIUM) COSSUS. Fries.
in mixed woods. Dismore. Oct. 1887.

U of M




HYGROPHORUS (LIMACIUM) PENARIUS. *Fries.*
in mixed woods. *Morpeth, Oct. 1887.*




Lor N

HYGROPHORUS (LIMACIUM) ERUBESCENS. Frust
in fir woods. 'near Hereford.

11078



HYGROPHORUS (LIMACIUM) PUDORINUS. Fries.
in woods. Crowell, Oxon, Oct. 1886.



1088

W.W.H.

PL. 889

HYGROPHORUS (LIMACIUM) GLUTINIFER Bull.
in mixed woods. near Slough.

U.S. 38

31/10/01

HYGROPHORUS (LIMACIUM) AUREUS. Arrb.
amongst grass. Kew Gardens. Nov. 1888.


May 11

11 of 33

200

HYGROPHORUS (LUMINESCENS) DISCOIDEA
by roadeides in woods. New Forest.


0074



HYGROPHORUS (LIMACIUM) LIMACINUS. Fries.
in woods. Blaise Castle Woods, Nov. 1886.

M70(1)

UoP M



HYGROPHORUS (LIMACIUM) OLIVACEO-ALBUS. Fries.
near fir trees. Tunnel Wood, Walford. Oct. 1883.

100%

M 70.0

HYGROPHORUS (LIMACIUM) HYPOTHEJUS Fries
on grassy bank. near Dorking.

400 M

May 10 19

HYGROPHORUS (*LIMACIUM*) CERASINUS. *Berk.*
amongst grass. Street, Somerset, 1868.

Manou

Worm

1000


HYGROPHORUS (LIMACIUM) FUSCO-ALBUS. *Lacee.*
in mixed woods. *Jedburgh.*

W. 30. 11

HYGROPHORUS (LIMACIUM) AGATHOSMUS. *Fries.*
in woods., Carlisle, Oct. 1886.

Wing U

U or M



HYGROPHORUS (UMACIUM) MESOTEPHRUS. B. & Br.
in damp places. Lyndhurst, Hants.

Mnoli


Worm

M. 700.1

HYGROPHORUS (LIMACUM) LIVIDO-ALBUS. Fries.
in grassy places. Queen's Cottage, Kew, Nov. 1886.

At you

Up



A

HYGROPHORUS (CAMAKURAEUS) MARTINOT. - sp. sp.
under fir trees. - near Bath.



103

W. 100.11

: M

HYGROPHORUS (CANAROPHYLLUS) LEPORINUS. Fr.
in woods. Forres, N.B.

M 90.0

Mon U

HYGROPHORUS (CANAROPHYLLUS) NEMOREUS. SINGER (f).
in pastures. Bishops Stortford, Oct. 1887.

Myou

Vol. 5

35 100 11

HYGROPHORUS (CAMAROPHYLLUS) PRATENSIS. Pers.
amongst grass. Pleasure Grounds, Kew.


MnO₂

U.S.

W.W.00

HYGROPHORUS (CAMAROPHYLLUS) PRATENSIS var. CINEREUS. Fr.
in pastures, near Slough, 1882.

vol.






UOP M



21 222

HYGROPHORUS (CAMAROPHYLLUS) VIRGINEUS, var. ROSEIPES.
in fir woods. near Carlisle. Oct. 1887.






HYGROPHORUS (CANAROPHYLLUS) RUSSO-CORIACEUS. B. & Br.
amongst grass. Ludlow, Coed Coch, &c.

Manoli

amongst grass. Coed Coch, and Kenilworth.

Manu

100%



HYGROPHORUS (AMAROPHYLLUS) FORNICATUS. *Fries.*
amongst grass. *Holm Lacey, Oct. 1872.*

Mno()

Top 3


May 11

25

in woods. *Addington Plantations, Oct. 1870.*

Minot

UoM



HYGROPHORUS (CAMAROPHYLLUS) OVINUS. Bull.
in pastures. near Bristol.

M no. 1

UoRM



Maori

HYGROPHORUS (CAMAROPHYLLUS) METAPODIUS. *Fries.*
in open places and pastures. Somersetshire

Mano U

1074

Model

HYGROPHORUS SUBRADIATUS var. LACMUS. *J. Fries.*
on heathy ground. near Hereford.

M 700

U.S. 14




卷之三



HYGROPHORUS (CAMAROPHYLLUS) IRRIGATUS. *Fries.*
amongst grass, after much rain. *Kew Gardens, Oct. 1882.*

MnO₂


100-15



HYGROPHORUS (HYGROCYBE) FESTENS. *Phil.*
amongst grass. Shrewsbury.







HYGROPHORUS (HYGROCYBE) SCIOPHANUS.
amongst moss. near Kendal.

Fries.



HYGROPHORUS (HYGROCYBE) MUCRONELLUS. Fries.
in fields. near King's Lynn.

2017-01



HYGROPHORUS (HYGROCYBE) LETUS. Fries.
amongst grass. Epping Forest.

MnO₂

John



HYGROPHORUS (CANAROPHYLLUS) HOUGHTONI. *B. & Br.*
amongst grass. near Wellington, Salop.


Minot

170

HYGROPHORUS (HYGROCYBE) CERACEUS. Fries.
in agaricini aliis. *Caud. Cook*

May 10

Top 10



HYGROPHORUS (HYDROCYBE) COCCINUS. Schaff.
in grassy places. Queen's Cottage, Kew.

W. v. U.



Wendy

W.P

W

M.J.B

—

in grassy places. Cood Coch.

Moto

U.S.A.

1985



HYGROPHORUS (HYGROCYBE) MICACEUS. B. & Br.




67 (1981)

HYGROPHORUS (HYGROCYBE) PUNICEUS. Bries.
amongst moss, &c. Bedfordshire.

397600





HYGROPHORUS (HYGROC
in grassy places.

Minoli

100%

amongst grass, by roadside, Langley, 1882.

Angol

3007 16

Mano U



HYGROPHORUS (HYDROCYBE) CONICUS. Fries.
on lawns. Kew Gardens.

MoU





M.C.C.

HYGROPHORUS (HYGROCYBE
amongst grass.




Memoli



Manuel









8 X 5


HYGROPHORUS (HYGROCYBE) CHLOROPHANUS. Fries.
amongst grass. Pleasure Grounds, Kew, Oct. 1853.

9700




20000





Minoli



HYGROPHORUS (HYGROCYBE) NITRATUS. *s.*
amongst grass in woods. Durham Downs, Oct. 1882.

Manoli

